

DATUM: NAVD 88

BENCHMARK:
A RAILROAD SPIKE IN THE TOP OF THE ASPHALT CURB ON THE SOUTH SIDE OF SE 278TH ST. AT THE INTERSECTION WITH 152ND AVE. SE. 4' WEST OF A SEWER MANHOLE. ELEV = 346.67


TBM:
RIM OF EX. SCWSD SEWER MANHOLE # 838-2. ELEV = 340.73

BURIED UTILITIES IN AREA CALL BEFORE YOU DIG
1-800-424-5555

EXISTING UTILITIES SHOWN ARE FROM THE BEST AVAILABLE INFORMATION AND NO GUARANTEE IS MADE AS TO THE EXACT SIZE, TYPE, LOCATION OR DEPTH

INSTALL 15" - 8" STUB SEWER MAIN @ 0.0050 I.E. = 325.71

NOTE: PROVIDE 3' MIN. CLEARANCE FROM THE PROPOSED STORM CB & SEWER MAIN.



THIS DRAWING REDUCED ONE-HALF (SCALE ACCORDINGLY)

NO. BY DATE		REVISIONS	
DATE APPROVED	DESIGNED	CHECKED	NO. PG.
PRINCIPAL APPROVAL	DRAWN	CST. FLD. BK.	NO. PG.
DESIGN		DES. FLD. BK.	NO. PG.
SCALE	HORIZ. 1"=50'	VERT. 1"=10'	
SOOS CREEK WATER & SEWER DISTRICT		SEWER MAIN EXTENSION	
EXAMPLE-RESIDENTIAL		SEWER PLAN AND PROFILE	
BASE MAP	R-8		
SHEET	2 OF 5		
DRAWING	R-32		